

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
			J	1 16
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 08-Jan-2004	4. REQUISITION/PURCHASE REQ. NO. W58XUW-3311-1921	5. PROJECT NO.(If applicable)	
6. ISSUED BY USACE, KANSAS CITY FEDERAL BLDG 601 E 12TH ST CT-C RM 757 KANSAS CITY MO 64106-2896	CODE W912DQ	7. ADMINISTERED BY (If other than item 6)		CODE
		See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912DQ-04-Q-0003
			X	9B. DATED (SEE ITEM 11) 19-Dec-2003
				10A. MOD. OF CONTRACT/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Solicitation No. W912DQ-04-Q-0003, FACILITIES CLEANUP FOR MINOOKA PARK, is amended as follow: 1) The Bid Closing Date (due date) have been extended from 1/13/2004 to 1/20/2004. 2) Performance Work Statement, paragraph C.9.3 have been added.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
			TEL: _____ EMAIL: _____	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		08-Jan-2004

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

The following have been modified:

PERFORMANCE WORK STATEMENT

FACILITIES CLEANUP SERVICES
MINOOKA PARK
WILSON LAKE PROJECT
November 25, 2003
Performance Work Statement

C.1 General Information

C.1.1 Mission and Location. : Wilson Lake, located on the Saline River, controls a drainage area of 1,917 square miles. The grassland drainage basin above Wilson makes it one of the clearest lakes in Kansas. With 9,000 acres of water and 100 miles of shoreline, it has become one of the most popular recreation areas in central Kansas. During periods of heavy rain the lake increases in size, as runoff is stored, providing downstream flood protection. Recreation, fish and wildlife enhancement, and water quality also are benefits of the lake.

Minooka Park, From I-70 take exit 199 north on Dorrance Road seven miles to the park entrance. This park is ideal for interstate travelers between the Rocky Mountains of Colorado and the Ozarks of Missouri. Minooka Park is the Corps largest managed park at Wilson Lake with 211 campsites. Temperatures range from the mid 60's to mid 90's during the summer months with extremes rising over 100. Minooka Park provides a range of activities from fishing, boating, camping, swimming, playground activities, and volleyball just to name a few.

C.1.2 Scope of Work

The Contractor shall provide all labor, equipment, materials and supplies, and supervision necessary to clean and service the facilities and grounds of the Minooka Park Wilson Lake Project in Russell County Kansas. Services shall be completed as described in this Performance Work Statement (PWS) and elsewhere in the contract. The Contractor shall perform tasks listed in Section C-10. Acceptable performance standards and current regulations are provided for each task. The Contractor shall monitor performance and ensure compliance in accordance with the terms and conditions.

The contractor shall obtain and maintain the proper insurance during the period of performance under this contract in accordance with Federal, State and Local law. Proof

of insurance shall be provided to the Contracting Officer's Representative prior to commencement of duties.

C.1.3 Dates of Performance: April 15 through 30 September of each year during this contract.

C.1.4 Hours of Operation: The Contractor shall clean and service the shower houses between 5:00 a.m. and 7:00 a.m. The remaining facilities will be cleaned and serviced between the hours of 5:00 a.m. and 9:00 a.m. All other described work (cleaning fire rings, roadways, beach areas, boat ramps and Marshall Cove etc.) will be completed no later than 2:00 p.m. All facilities will be re-inspected for cleanliness and serviced as necessary between the hours of 1:00 p.m. and 3:00 p.m.

On the 3 identified holiday weekends (Memorial Day, 4th of July and Labor Day), the contractor will inspect all facilities as described above, plus provide an additional inspection between the hours of 6:00 p.m. and 9:00 p.m. With all other work completed no later than 2:00 p.m.

C.1.5 Vandalism.

The contractor will be required to clean and replace supplies due to vandalism.

C.1.6 Post-Award Conference

After award, but prior to commencement of work, the Contractor shall contact the Contracting Officer's Representative, to arrange a mutually agreeable time to meet at the Wilson Project Office to review the contract requirements and details of the work.

C.1.7 Quality Control

The Contractor will develop a Quality Control Plan designed to demonstrate how the Contractor will meet the needs of the project. The Quality Control Plan will document how well the Contractor is meeting these needs and will be submitted for approval prior to work on this contract. The contractor must provide and maintain an inspection system acceptable to the government covering the services under this contract. Complete records of all inspection work performed by the contractor must be maintained and made available to the government during contract performance for as long afterward as the contract requires. The Quality Control Plan may be a checklist that the Contractor will follow showing the standards of performance required.

C.2 QUALITY ASSURANCE

C.2.1 Quality Assurance Surveillance Plan.

A Quality Assurance Surveillance Plan (QASP) will be used during the life of the contract to ensure that the Service Provider is performing the services required by this

PWS in an acceptable manner. The Government develops the QASP and the Project Office administers the Plan through Quality Assurance Evaluators (QAE)s.

C.1.2.2 The government has the right to inspect and test all services called for by the contract, to the extent practicable at all times and places during the term of the contract. The government will perform inspections and tests in a manner that will not unduly delay the work.

C.1.2.3 In the event of unsatisfactory performance of specified work, the Contractor may be directed to re-perform the unsatisfactory services at no additional cost to the Government. Failure of the Contractor to perform the work as specified, or to re-perform work as directed, may result in withholding of payment for the portion(s) of the work not accomplished. Amounts to be withheld will be determined by prorating the amount of services satisfactorily performed against the amount of services required. When the defects in services cannot be corrected by re-performance, the government may (1) require the contractor to take necessary action to ensure that future performance conforms to contract requirements; and (2) reduce the contract price to reflect the reduced value of the services performed. Payment will not be made for work not performed or not performed to standard

C.1.2.4 If the contractor fails to promptly perform the services again or to take the necessary action to ensure future performance in conformity with contract requirements, the government may: (1) by contract, or otherwise, perform the services and charge to the Contractor any cost incurred by the government that is directly related to the performance of such service or (2) terminate the contract in whole or in part.

C.1.2.5 Performance by Third Party or Government Personnel: In addition to the above remedies for nonperformance, the Government reserves the right to cause the specified work to be performed by a third party or Government personnel and the cost incurred thereby will be levied against the Contractor. Any time government personnel are used because of Contractor's nonperformance; the cost levied against the Contractor will include all direct costs associated with the performance of the specified work. Such inefficiencies are determined on an hourly basis at the applicable wage rate.

C.3 Coordination with the Project Office

C.3.1 As each item of work is completed, the Contractor's representative at the job shall enter the time that the item of work was completed on a Contractor's Daily Worksheet (**See example Section C-12.2**). Completed and signed worksheets shall be delivered each day services are performed, as directed by the Contracting Officer's Representative.

C.3.2 Day to day contact with Government personnel, and telephone communication shall normally provide adequate information exchange. The Government reserves the right to schedule meetings at the Project Office as necessary to insure strict compliance with the terms of this contract. Such meetings shall be scheduled, to the extent

possible, at mutually convenient times. However, upon notice, the Contractor shall attend meetings regarding matters affecting this contract.

C.3.3 To assist the visiting public in reclaiming lost articles, all property left by visitors and found during cleanup operations shall be turned over to the campground park attendant as soon as possible in to the Project Office.

C.3.4 Any evidence of vandalism, instances of facilities not operating properly, or are in need of repair, shall be promptly reported to project personnel and the campground park attendant.

C.3.5 The Contractor shall remove any dead animals within the area serviced under this contract, to the extent that the dead animal is small enough to be removed by the Contractor's daily staff. Any large animal that would require additional staff or equipment to move shall be reported to the Contracting Officer's Representative as soon as possible. Disposal of dead animals shall be as directed by the Operations Manager or his representative.

C.3.6 Required Insurance: The contractor shall obtain and maintain the proper insurance during the period of performance under this contract in accordance with Federal, State and Local law. Proof of insurance shall be provided to the Contracting Officer's Representative prior to commencement of duties.

C.4 Contractor Personnel

C.4.1 All Contractor personnel shall be fully clothed, at all times, while performing these services. Clothing shall be clean and neat in appearance.

C.4.2 Contractor personnel shall utilize tact, diplomacy and courtesy at all times during contact with the public. The contractor or any of his or her employees must not consume any alcohol or drugs (except prescription drugs) during duty hours or when meeting the public.

C.4.3 The Contractor shall designate, in writing, a responsible member of each work crew who shall serve as the contact for matters involving quality and performance of the required work assigned to that crew. The employee(s) designated in accordance with the above requirement shall be qualified and fully competent and shall insure that the work described herein is performed in accordance with these specifications. The Contractor shall furnish the above written designation to the Contracting Officer's Representative at the project the first day that an individual is a "responsible party." The designation shall include the name(s), address (es), and telephone number(s) of the responsible individual(s).

C.5 Safety Requirements

C.5.1 Prior to beginning work on this contract the Contractor shall have an approved Accident Prevention Plan. This plan shall be in accordance with the most recent EM 385-1-1(See Section C.13 Applicable Forms and Publications). The plan is intended to be a viable document and enhance the safety of Project staff and visitors. The Contractor will be expected to take a vital interest in safety, hazard, and educate their employees to work and plan their work safely. Proper driving techniques and defensive driving will be practiced to prevent vehicle accidents and property damage.

C.5.2 The contractor shall display a sign reading "CLOSED FOR CLEANING" at the entrance of all facilities during cleaning operations.

C.5.3 Care shall be taken to avoid wetting of hand dryers, and electrical fixtures during cleaning.

C.6 Other Contractors

C.6.1 The Government may undertake or award other contracts for additional work, and the Contractor shall fully cooperate with such other contractors and Government employees.

All work must be carefully planned and fitted not to interfere with such other work. The Contractor shall not commit or permit any act that will interfere with the performance of work by other contractors or by Government employees.

C.7 Definitions

Clean: As used generally, means free of all foreign matter, film, spots, streaks, dirt or impurities. As used for acceptance of work means gleaming, free from dirt, contamination, or impurities, unsoiled, unstained, neat and tidy.

Contracting officer's representative means an individual designated and authorized in writing by the contracting officer to perform specific technical or administrative functions.

Debris: Any articles, or parts thereof, such as paper, gum, litter, strings, cigarette butts, leaves, and sand.

Dirt: Particles of sand, soil, grit, or pebbles; mud, dust, tar, liquid stains, vomit, and/or ashes.

Foreign Matter: Any articles, or parts thereof, not belonging to the place found.

Fully-Clothed: Deemed to mean that a sleeved shirt (or T-shirt), trousers, and shoes shall be worn at all times: except that this requirement shall not be construed to replace or eliminate the necessity for the wearing of appropriate protective clothing or devices as may be required for the application of various chemicals

PWS – Performance Work Statement

Quality Assurance (QA): A method used by the Government to provide some measure of control over the quality of purchased goods and services received.

Quality Control (QC): A method used by the Contractor to control the quality of goods and services provided.

"Service contract" means a contract that directly engages the time and effort of a contractor whose primary purpose is to perform an identifiable task rather than to furnish an end item of supply. A service contract may cover services performed by either professional or nonprofessional personnel whether on an individual or organizational basis. Some of the areas in which service contracts are found include the following:

- (a) Maintenance, overhaul, repair, servicing, rehabilitation, salvage, Modernization, or modification of supplies, systems, or equipment.
- (b) Routine recurring maintenance of real property.
- (c) Housekeeping and base services.
- (d) Operation of Government-owned equipment facilities, and systems.

C.8 Government Supplied Campsite:

C.8.1 The Government will provide a campsite for the Contractor's trailer, and utility hookups, during the service period, consisting of water, electricity, and sewer. In addition, the campsite will include a storage building, picnic table; refuse container. One camping unit will use the campsite only. The site will be provided free of charge for a period of 3 days prior and 3 days after the period of performance. No additional camping units may occupy the site with out permission of the Operations Manager. The Contractor shall maintain these facilities in accordance with Park rules.

C.8.2 Government-Furnished Materials and Supplies. The Government will furnish the following consumable items, to the Contractor from stock. The Government will retain control of expendables, to be dispensed on an as-needed basis for use in performance of the contract.

1. Contractor Daily Worksheets
2. Baseball cap and nametags
3. Water for cleaning

C.9 Contractor-Furnished Equipment and Supplies

The Contractor shall furnish all equipment and supplies not identified in section C.3 of this PWS as Government-Furnished supplies and equipment or specifically identified in this section.

C.9.1 The Contractor shall furnish a pressure water pump and tank for water supply, capable of delivering a stream of water at 150 psi to flush floors, walls, and ceilings of serviced facilities. NOTE: The use of a pressure water pump is not mandatory if the Contractor is able to meet the performance standards (See Section C.10 Specific Tasks). by hand. The Government reserves the right to require the use of a pressure water pump, at any time, if it becomes apparent that the performance standards are not being met.

C.9.2 The contractor will provide a lawn mower, equipment and fuel to maintain the vegetation at the facilities cleanup contractors camp site and shower buildings at a height between three and four inches. The area to be mowed is estimated at 0.56 acres.

C.9.3 The contractor shall provide 2-ply toilet paper for all the facilities in Minooka Park. The park received 53,498 visits during the 2003 recreation season.

C.10 Specific Tasks

C.10.1 General Information

The Contractor shall provide all manpower, equipment, fuel, tools, materials and supplies, and supervision and other items and service necessary to perform all tasks and functions identified in this section except as specified in Section C-8.2 as Government Furnished equipment and supplies.

C.10.2 Service Facilities/Areas: The contractor shall maintain the facilities listed below in a clean and sanitary condition in accordance with the identified performance standards. All buildings shall have all mold completely removed monthly. Cleanup of facilities is directly related to public health and sanitation; therefore, it is essential that all facilities be serviced to the performance standard. In the event that an area or facilities within an area are missed, or are not properly cleaned, the Contractor shall return and re-clean the area or affected facilities immediately upon receipt of such notice from the Contracting Officer or his Authorized Representative.

FACILITIES	TOTAL
Vault Toilets	12
Shower Building	2
Flush Toilets	1
Small Shelter	9
Dump Station	2
Picnic Shelters	2
Swimming	1

FACILITIES	TOTAL
Beach	
Water Fountains	1
Hand Showers	1
Litter Pickup**	124.65 acres
Volleyball Courts	2
Campsites	206
Fire Pits/Grills	206
Fish Cleaning Station	1
Park Benches*	2
Bulletin Boards*	1
Sidewalks**	470 sq yd
Playgrounds	3
Change Houses	2
Courtesy Dock and Fishing Piers	4
Interior Refuse Containers*	4
Water Hydrants	15

*Total number of exterior refuse containers shall be subject to a variation of +/- 5 and total number of interior refuse containers, bulletin boards and park benches shall be subject to a variation of +/-2 at no change in contract price.

**NOTE: All ACREAGES AND SQ. YD. ARE ESTIMATED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING EXACT ACREAGES AND CONDITIONS AFFECTING PERFORMANCE OF THIS WORK.

C.10.3 Showers, vault and flush-type toilets, water borne facilities and change houses. Care shall be taken to avoid wetting of hand dryers, and electrical fixtures during cleaning. All paper products shall be protected to prevent wetting during cleaning operations. Following cleaning, all bright surfaces (to include but not limited to chrome or bright metal, porcelain, ceramic tile, mirrors and glossy painted surfaces) shall provide a dried polished appearance free of dirt, cleaning solution, disinfectant, and water spots.

C.10.4 Ceilings - Clean ceilings on inside and overhang on outside of buildings to remove spider webs, dust, bird and insect nests, dirt, and insect spots. If soap or disinfectant is used, rinse with clean water and wipe dry.

C.10.5 Walls, shower stalls, benches, partitions, stools (flush-type), wash basins, doors and refuse containers – Clean and disinfect to ensure a condition free of all dirt, oil, lotions, soap residue, calcium deposits or other foreign matter. All surfaces including soap trays, faucets, stool lids, handicap bars, and plumbing fixtures shall present a dried polished appearance free of dirt, cleaning solution, disinfectant, and water spots. Exterior walls shall have spider webs, dust, bird and insect nests, debris and grass clippings removed.

C.10.6 Floors and floor drain plates – Shall be disinfected and free of all dirt, sand, foreign matter, trash, and excess water.

C.10.7 Mirrors – Shall be free of dirt, dust, smudges, water spots, and streaks.

C.10.8 Stools – Non-waterborne (vault-type) - Risers inside and outside, seats and lids shall be cleaned and disinfected to provide a surface free of foreign matter. Seats shall present a dry appearance free of disinfectant and water spots.

C.10.9 Light Fixtures - Remove all dirt, dust, bugs, cobwebs, smudges, and streaks from fixtures, bulbs and grill. Reinstall grillwork and ensure light bulbs work.

C.10.10 Metal louvers – Maintain a clean appearance free of spider webs, bird and insect nests, bird droppings, dirt, dust, or other foreign matter.

C.10.11 Vault toilets having an obnoxious odor shall be reported to Project personnel.

C.10.12 Picnic, Group and Small Shelter:

C.10.13 Ceiling, beams, trusses, and overhang- shall be clean (See Section C.7 Definitions)

C.10.14 Table tops, seats, grills, sinks, water hydrants and floor slabs shall be cleaned and disinfected to ensure a sanitary condition free of all dirt, food particles, foreign matter, and excess water.

C.10.15 Handicap Accessible Fishing Pier and Courtesy Fishing Docks including all handrails and walkways: shall be kept free of dirt, debris, stains, residue, spider webs, insect nests, bird droppings, fish remains, litter, and leaves. Leaves or vegetation removed shall be disposed in a brush or wooded areas outside the Normal Park mowing or miscellaneous mowing areas. All litter on the docks or within "**25 feet**" the walkway and riprap area leading to the docks shall be removed and deposited, as

directed by the Contracting Officer's Representative, into a government furnished trash dumpster.

C.10.16 Dump Station - All litter and debris (including but not limited to cigarette butts, match books, bottle caps, snap tabs and paper) shall be removed deposited, as directed by the Contracting Officer's Representative, into a government furnished dumpster.

C.10.17 Water fountains - Shall be cleaned and disinfected to remove all residue and stains and maintain a sanitary condition. Water fountains at or near facilities being serviced shall be cleaned each time the facility is serviced.

C.10.18 Water hydrants - Shall be cleaned to remove all cobwebs, litter, and debris from the fixtures and from the immediate vicinity.

C.10.19 Charcoal grills, fire pits /rings, and picnic tables:

C.10.20, Unoccupied campsites, grills, firerings, and cooking surfaces shall be kept free of debris, ashes, food particles, and other foreign matter. Unoccupied grills, and fire rings containing live ashes or warm coals shall be left undisturbed and shall be cleaned at the next regularly scheduled cleaning. The contractor shall remove all debris, litter, ashes and coals in the immediate vicinity of all facilities. Ashes will be disposed of as directed by the COR. The contractor will be required to clean occupied campsites when directed by the COR.

C.10.21 Unoccupied picnic tables in visitor areas shall be checked each day services are performed. If unsanitary conditions exist, tables shall be cleaned by removing all foreign matter to include cleaning solution residue. NOTE: Past experience indicates that an average of five (5) percent of the tables shall require cleaning on any given day depending on the amount of visitation.

C.10.22 Park benches, playground equipment, phone shelter and bulletin boards - Shall be kept clean and free from cobwebs, bird droppings, insect nests foreign matter, and debris. The outside glass of visitor bulletin boards and both sides of phone shelter glass shall be free of smudges and streaks.

C.10.23 Sidewalks - If temperatures are below freezing, sidewalks, and concrete floors shall not be hosed off, and water usage shall be kept to the minimum necessary to clean facilities.

C.10.24 All sidewalks shall be free of debris, stains, and residue (any) excess water shall be removed.

C.10.25 Cracks between sidewalk sections, and along buildings and/or graveled or paved areas within 10 feet of facility being serviced shall be kept free of grass and weeds by

mechanical means only. Grass or weeds shall not be placed in a refuse container or dumpsters. A designated location will be provided upon the contractor's request.

C.10.26 Refuse and litter handling (facilities):

C.10.27 All trash, litter, debris or residue (including but not limited to cigarette butts, match books, bottle caps, snap tabs and paper) within or immediately adjacent to the facility being serviced shall be removed. At no time shall trash or debris be swept or washed out of a facility and left.

C.10.28 Refuse containers located within the facility being serviced shall have all trash, litter, debris or residue removed. The containers shall present a clean and odor free condition. Plastic liners shall be replaced.

C.10.29 Exterior refuse containers (excluding dumpsters) placed at various locations throughout the park area shall be cleaned and emptied and the refuse placed in centrally located dumpsters. A new plastic liner shall be installed in containers (as needed) and the lids reinstalled on the containers. Exterior refuse containers and holders shall present a clean odor free condition. When odor becomes prevalent in trash containers or they become full prior to regular scheduled major servicing the Contractor shall empty and wash containers and holders as needed (minor cleanup) to provide sanitary conditions for the public.

C.10.30 Refuse and litter handling (park areas, roadways, beaches, playgrounds, boat ramps, volleyball courts, horseshoe pits and parking areas):

C.10.31 All mowed park areas, on and adjacent to roadways, and parking areas, and on and adjacent to the beach area, playgrounds, volleyball courts, horseshoe pits, and boat ramp areas (including boat ramp riprap areas) are included in the acreage for litter pickup and shall be serviced each day services are performed. All trash, litter, and debris shall be removed. Litter and debris shall be deposited, as directed by the Contracting Officer's Representative, in a Government furnished dumpster.

C.11 Mowing:

C.11.1 The contractor will provide a lawn mower, equipment and fuel to maintain the vegetation at the facility contractors camp site and shower buildings at a height between three and four inches. The area to be mowed is estimated at 0.56 acres.

C.12 Applicable Publications and Forms

C.12.1 Information on Wilson Lake can be found on the Internet at http://www.nwk.usace.army.mil/wilson/wilson_home.htm

C.12.2 Contractor's Daily Worksheet:

Minooka Park

DATE _____ CONTRACTOR:

CONTRACT NO.: DACW41

(FY-04)

<u>BUILDING NO.</u>	<u>START</u>	<u>STOP</u>	<u>BUILDING NO.</u>	<u>START</u>	<u>STOP</u>
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----

Items Serviced Today (Check Items Below)

- | | |
|---|------------------------|
| Ceilings - Removed Bird Nests, Cobwebs, etc. _____ | Exterior Benches _____ |
| Floors _____ | Litter Pickup _____ |
| Walls, Stalls, Benches, Partitions, and Doors _____ | Water Fountains _____ |
| Stools _____ | Hydrants _____ |
| Wash Basins _____ | Sidewalks _____ |
| Laundry Appliances _____ | Sidewalks Algae _____ |
| Grills and Fire rings _____ | Mirrors _____ |
| Refuse Cont. Serviced _____ | Louvers _____ |
| Toilet Paper Replaced _____ | Light Fixtures _____ |
| Sanitary Dump Station _____ | Bulletin Boards _____ |
| Playgrounds _____ | Phone Shelter _____ |
| Picnic Tables _____ | Beach _____ |
| Amphitheater _____ | |

No. of Vaults Having Obnoxious Odor _____. No. of Vaults Reaching Full Capacity _____.

Any Items Vandalized Since Last Services or Other Problems

Observed: _____

Safety problems observed: _____

CONTRACTOR

W912DQ-04-Q-0003

C.13 Engineer Manual (EM) 385-1-1 (Safety)

Technical Enclosure 1: Performance Requirements Summary

Performance Requirements Summary (PRS)

Section (Para)	Contract Requirement	Performance Standard	Lot Description	ALP (%)	
C.5.2.1	Showers, Vault & Flush-type Toilets, Change Houses	Clean (See definition in Section C.7)	15 Structures	4% Defects per facility	Per va
C.5.3.3	Picnic, Group, Small Shelters	Clean ceiling beams, trusses, overhang, table tops, seats & floors	11 Shelters	4% Defects per facility	Per va
C.5.3.4	Handicap Accessible Fishing Pier and Courtesy Dock	Remove debris and trash	2 docks	4% Defect per dock	Per va
C.5.3.5	Dump Station	Clean (See Section C.7 Definition)	2 Inspections per period (month)	4% Defect per station	

Performance Requirements Summary (PRS)

Section (Para)	Contract Requirement	Performance Standard	Lot Description	ALP (%)	
C.5.3.6	Water Fountains	Clean (See definition in Section C.7) and remove residue	1 Fountain	4%	va

C.5.3.7	Water Hydrants	Clean (See definition in Section C.7) and remove residue	15 Hydrants	4%	Per v%
C.5.3.8	Charcoal Grills, Fire pits/rings, Picnic Tables	Clean (See definition in Section C.7) and remove ashes and coals	206 fire Rings & Tables	4%	Per v%
C.5.3.9	Sidewalks	Clean (See definition in Section C.7) And remove debris	470 sq yd	4%	

C.5.3.10	Refuse and litter handling cans	Clean (See definition in Section C.7) and remove ashes and coals	80% Inspected 4 times per month	4%	Per v%
C.5.3.11	Refuse and litter handling roads and parking lots	Clean (See definition in Section C.7) And remove debris	80% 12 times per month	4%	F

(End of Summary of Changes)